


B4-01-030

Posted on julio 21, 2026 by Carlos Vega









D2-CPC-18 / D2-CPC-07

AREA **ENGINE** •
BAY/COLUMN/ZONE **BLOCKS 1 / R3 / B4-01-030** •
NETWORK OUTLET **D2-CPC-18 / D2-CPC-07** •

ENERGY EFF **READY** •
UPS **NO** •

FACEPLATE 1 **FUNCTIONAL** •

RJ45 JACK A **FUNCTIONAL** •
RJ45 PLUGS **FUNCTIONAL** •
CONNECTION **PATCHCORD** •

RJ45 JACK B **FUNCTIONAL** •
RJ45 PLUGS **DAMAGED / CLIP BROKEN** •
CONNECTION **FIELD TERMINATED** •

ENCLOSURE HARDWARE

CPU **YES / OPERATIONAL** •
MONITOR **YES / OPERATIONAL** •
KEYBOARD **YES / OPERATIONAL** •
MOUSE **YES / OPERATIONAL** •
CONNECTION / **ETHERNET** •
RECOMMENDED PATCHCORD LENGTH **4.5m** •

WORKSTATION HARDWARE

CPU **YES / OPERATIONAL** •
MONITOR **YES / OPERATIONAL** •
KEYBOARD **YES / OPERATIONAL** •

MOUSE **YES / OPERATIONAL** •
CONNECTION / **ETHERNET** •
RECOMMENDED PATCHCORD LENGTH **2.5m** •

GMS HARDWARE

CPU **YES / OPERATIONAL** •
MONITOR **YES / OPERATIONAL** •
KEYBOARD **YES / OPERATIONAL** •
MOUSE **YES / OPERATIONAL** •
CONNECTION / **WIFI** •