

B4-01-110

Posted on julio 20, 2026 by Carlos Vega











D2-CPB-16 / D6-CPC-19

AREA **ENGINE** •
BAY/COLUMN/ZONE **BLOCKS 1 / R5 / B4-01-110** •
NETWORK OUTLET **D2-CPB-16 / D6-CPC-19** •

ENERGY EFF **READY** •
UPS **NO** •

FACEPLATE 1 **FUNCTIONAL** •

RJ45 JACK A **FUNCTIONAL** •
RJ45 PLUGS **FUNCTIONAL** •
CONNECTION **PATCHCORD** •

FACEPLATE 2 **FUNCTIONAL**

RJ45 JACK A **FUNCTIONAL** •
RJ45 PLUGS **FUNCTIONAL** •
CONNECTION **FIELD TERMINATED** •

ENCLOSURE HARDWARE

CPU **YES / OPERATIONAL** •
MONITOR **YES / OPERATIONAL** •
KEYBOARD **NO** •
MOUSE **YES / OPERATIONAL** •
CONNECTION / **ETHERNET** •
RECOMMENDED PATCHCORD LENGTH **2m** •

WORKSTATION HARDWARE

CPU **YES / OPERATIONAL** •
MONITOR **YES / OPERATIONAL** •

KEYBOARD **YES / OPERATIONAL •**
MOUSE **YES / OPERATIONAL •**
CONNECTION / **ETHERNET •**
RECOMMENDED PATCHCORD LENGTH **3.5m •**