


B4-02-160

Posted on julio 17, 2026 by Carlos Vega









WORKSTATION, ENCLOSURE & GMS

AREA **ENGINE** •
BAY/COLUMN/ZONE **BLOCKS 2 / P6n-Oe6s / B4-02-160** •
NETWORK OUTLET •

ENERGY EFF **READY** •
UPS **NO** •

FACEPLATE 1 **YES** •

RJ45 JACK A **FUNCTIONAL** •
RJ45 PLUGS **DAMAGED / CLIP BROKEN** •
CONNECTION **FIELD TERMINATED** •

FACEPLATE 2 **NO** •
RJ45 JACK A **DAMAGED / LOOSE NETWORK OUTLET** •
RJ45 PLUGS **FUNCTIONAL** •
CONNECTION **FIELD TERMINATED** •

ENCLOSURE HARDWARE

CPU **YES / OPERATIONAL** •
MONITOR **YES / OPERATIONAL** •
KEYBOARD **YES / OPERATIONAL** •
MOUSE **YES / OPERATIONAL** •
CONNECTION / **ETHERNET** •
RECOMMENDED PATCHCORD LENGTH **2m** •

WORKSTATION HARDWARE

CPU **YES / OPERATIONAL** •
MONITOR **YES / OPERATIONAL** •

KEYBOARD **YES / OPERATIONAL** •
MOUSE **YES / OPERATIONAL** •
CONNECTION / **ETHERNET** •
RECOMMENDED PATCHCORD LENGTH **4m** •