



H4-01-010-040


Posted on julio 22, 2026 by Carlos Vega











WORKSTATION, ENCLOSURE & GMS

AREA **ENGINE** •
BAY/COLUMN/ZONE **HEADS 1 / Te2 / H4-01-010-040** •
NETWORK OUTLET **XX / XX** •

ENERGY EFF **READY** •
UPS **NO** •

FACEPLATE 1 **FUNCTIONAL** •

RJ45 JACK A **FUNCTIONAL** •
RJ45 PLUGS **DAMAGED / CLIP BROKEN** •
CONNECTION **FIELD TERMINATED** •

FACEPLATE 2 **FUNCTIONAL** •

RJ45 JACK A **DAMAGED** •
RJ45 PLUGS **DAMAGED / CLIP BROKEN** •
CONNECTION **FIELD TERMINATED** •

ENCLOSURE HARDWARE

CPU **YES / OPERATIONAL** •
MONITOR **YES / OPERATIONAL** •
KEYBOARD **YES / OPERATIONAL** •
MOUSE **YES / OPERATIONAL** •
CONNECTION / **ETHERNET** •
RECOMMENDED PATCHCORD LENGTH **2m** •

WORKSTATION HARDWARE

CPU **YES / OPERATIONAL •**
MONITOR **YES / OPERATIONAL •**
KEYBOARD **YES / OPERATIONAL •**
MOUSE **YES / OPERATIONAL •**
CONNECTION / **ETHERNET •**
RECOMMENDED PATCHCORD LENGTH **3.5m •**