

H4-01-200

Posted on julio 22, 2026 by Carlos Vega







D7-CPB-12 / D7-CPB-13

AREA **ENGINE •**
BAY/COLUMN/ZONE **HEADS 1 / V7 / H4-01-200 •**
NETWORK OUTLET **D7-CPB-12 / D7-CPB-13 •**

ENERGY EFF **READY •**
UPS **NO •**

FACEPLATE 1 **FUNCTIONAL •**

RJ45 JACK A **FUNCTIONAL •**
RJ45 PLUGS **FUNCTIONAL •**
CONNECTION **FIELD TERMINATED •**

RJ45 JACK B **FUNCTIONAL •**
RJ45 PLUGS **FUNCTIONAL •**
CONNECTION **NO •**

ENCLOSURE HARDWARE

CPU **YES / OPERATIONAL •**
MONITOR **YES / OPERATIONAL •**
KEYBOARD **YES / OPERATIONAL •**
MOUSE **YES / OPERATIONAL •**
CONNECTION / **ETHERNET •**
RECOMMENDED PATCHCORD LENGTH **1.5m •**

WORKSTATION HARDWARE

CPU **YES / OPERATIONAL •**
MONITOR **YES / OPERATIONAL •**
KEYBOARD **YES / OPERATIONAL •**

MOUSE **YES** / **OPERATIONAL** •
CONNECTION / **WIFI** •